






#### A WHOLE LOTTA 'HARDEN THE TRUCK UP'



WHEN YOU'VE BEEN BUILDING TRUCKS SINCE 1964, YOU GET TO KNOW A THING OR TWO ABOUT 'TOUGH'.

Put through its paces in the toughest Aussie terrain, the T9 has come up flying colours. See for yourself how the T9 took down Mount Disappointment in Victoria.

The T9 has been put together by a team of the globe's best automotive partners.



BUILT WITH GALVANISED STEEL CAB & TUB
WITH INTERNAL WAX INJECTION TECHNOLOGY



ZINC CONTENT OF 40.9%



**ENGINE CHAIN SYSTEM** 



BELT



TURBO AND TRANSFER CASE



**TURBO** 



**BEARING BUSH** 



TRANSMISSION





#### KEY FEATURES

JAC T9 is locked and fully loaded, good to go wherever you want to go.

























360° CAMERA~





#### KEY FEATURES

JAC T9 is locked and fully loaded, good to go wherever you want to go.










360° CAMERA~



















## A WHOLE LOTTA 'NO WORRIES'

JAC HAS YOUR BACK ALL THE WAY.

Whether your JAC T9 is for private use, business or fleet, every JAC owner gets to drive with 'no worries'.

• 5-year warranty<sup>^</sup>. 100,000 KMs. Uncomplicated.

• Mauritius-based parts warehouse, which helps to reduce your wait time.

JAC is committed to providing comprehensive after-sales support. That's a pretty damn good handshake. It's JAC's way of making sure you

and your T9 are well looked after without any unwanted surprises.











### AWHOLE LOTTA AUSSIE INSPIRED COLOUR















## THE HAVEN LEATHER ACCENTED# INTERIOR COLOUR: BLACK QUILTED













# JAC TS 1920MM 5330MM 1965MM 1983MM WITH FOLDED MIRRORS 2186MM WITH MIRRORS EXTENDED

## THE T9'S EXCEPTIONAL RIDE HEIGHT OFFERS SUPERIOR ROAD VISIBILITY AND SPACIOUS COMFORT FOR ALL OCCUPANTS.

OVERALL DIMENSIONS (MM)	
Length	5330
Width	1965
Height	1920
TUB DIMENSIONS (MM)	
Length	1520
Width	1590
Height	470
GROSS COMBINATION MASS (GCM) (KG)	5430
GROSS VEHICLE MASS (GVM) (KG)	3100
KERB WEIGHT (KG)	2055
PAYLOAD (KG)	1045
TOWING CAPACTIY	
Unbraked	750
Braked	3000
Maximum Towball Download	300

WHEELBASE (MM)	3110
APPROACH ANGLE (DEGREES)	27
DEPARTURE ANGLE (DEGREES)	23
WADING DEPTH (MM)	650
GROUND CLEARANCE (MM)	210

